



*"In this module we will explore the reports produced by flood realtime."*

THE GOVERNMENT OF DKI JAKARTA  
REGIONAL DISASTER MANAGEMENT AGENCY

## FLOOD IMPACT REPORT FOR POPULATION

Based on Flood 21 February 2017 12:00 PM

**Legend**

**Flood Depth (cm)**

- No flooding
- Less than 50
- 50 - 100
- 100 - 150
- 150 - 200
- 200 - 250
- 250 - 300
- 300 - 350
- 350 - 400
- 400 - 450
- 450 - 500
- 500 - 550
- 550 - 600
- 600 - 650
- 650 - 700
- 700 - 750
- 750 - 800
- 800 - 850
- 850 - 900
- 900 - 950
- 950 - 1000
- 1000 - 1050
- 1050 - 1100
- 1100 - 1150
- 1150 - 1200
- 1200 - 1250
- 1250 - 1300
- 1300 - 1350
- 1350 - 1400
- 1400 - 1450
- 1450 - 1500
- 1500 - 1550
- 1550 - 1600
- 1600 - 1650
- 1650 - 1700
- 1700 - 1750
- 1750 - 1800
- 1800 - 1850
- 1850 - 1900
- 1900 - 1950
- 1950 - 2000
- 2000 - 2050
- 2050 - 2100
- 2100 - 2150
- 2150 - 2200
- 2200 - 2250
- 2250 - 2300
- 2300 - 2350
- 2350 - 2400
- 2400 - 2450
- 2450 - 2500
- 2500 - 2550
- 2550 - 2600
- 2600 - 2650
- 2650 - 2700
- 2700 - 2750
- 2750 - 2800
- 2800 - 2850
- 2850 - 2900
- 2900 - 2950
- 2950 - 3000
- 3000 - 3050
- 3050 - 3100
- 3100 - 3150
- 3150 - 3200
- 3200 - 3250
- 3250 - 3300
- 3300 - 3350
- 3350 - 3400
- 3400 - 3450
- 3450 - 3500
- 3500 - 3550
- 3550 - 3600
- 3600 - 3650
- 3650 - 3700
- 3700 - 3750
- 3750 - 3800
- 3800 - 3850
- 3850 - 3900
- 3900 - 3950
- 3950 - 4000
- 4000 - 4050
- 4050 - 4100
- 4100 - 4150
- 4150 - 4200
- 4200 - 4250
- 4250 - 4300
- 4300 - 4350
- 4350 - 4400
- 4400 - 4450
- 4450 - 4500
- 4500 - 4550
- 4550 - 4600
- 4600 - 4650
- 4650 - 4700
- 4700 - 4750
- 4750 - 4800
- 4800 - 4850
- 4850 - 4900
- 4900 - 4950
- 4950 - 5000
- 5000 - 5050
- 5050 - 5100
- 5100 - 5150
- 5150 - 5200
- 5200 - 5250
- 5250 - 5300
- 5300 - 5350
- 5350 - 5400
- 5400 - 5450
- 5450 - 5500
- 5500 - 5550
- 5550 - 5600
- 5600 - 5650
- 5650 - 5700
- 5700 - 5750
- 5750 - 5800
- 5800 - 5850
- 5850 - 5900
- 5900 - 5950
- 5950 - 6000
- 6000 - 6050
- 6050 - 6100
- 6100 - 6150
- 6150 - 6200
- 6200 - 6250
- 6250 - 6300
- 6300 - 6350
- 6350 - 6400
- 6400 - 6450
- 6450 - 6500
- 6500 - 6550
- 6550 - 6600
- 6600 - 6650
- 6650 - 6700
- 6700 - 6750
- 6750 - 6800
- 6800 - 6850
- 6850 - 6900
- 6900 - 6950
- 6950 - 7000
- 7000 - 7050
- 7050 - 7100
- 7100 - 7150
- 7150 - 7200
- 7200 - 7250
- 7250 - 7300
- 7300 - 7350
- 7350 - 7400
- 7400 - 7450
- 7450 - 7500
- 7500 - 7550
- 7550 - 7600
- 7600 - 7650
- 7650 - 7700
- 7700 - 7750
- 7750 - 7800
- 7800 - 7850
- 7850 - 7900
- 7900 - 7950
- 7950 - 8000
- 8000 - 8050
- 8050 - 8100
- 8100 - 8150
- 8150 - 8200
- 8200 - 8250
- 8250 - 8300
- 8300 - 8350
- 8350 - 8400
- 8400 - 8450
- 8450 - 8500
- 8500 - 8550
- 8550 - 8600
- 8600 - 8650
- 8650 - 8700
- 8700 - 8750
- 8750 - 8800
- 8800 - 8850
- 8850 - 8900
- 8900 - 8950
- 8950 - 9000
- 9000 - 9050
- 9050 - 9100
- 9100 - 9150
- 9150 - 9200
- 9200 - 9250
- 9250 - 9300
- 9300 - 9350
- 9350 - 9400
- 9400 - 9450
- 9450 - 9500
- 9500 - 9550
- 9550 - 9600
- 9600 - 9650
- 9650 - 9700
- 9700 - 9750
- 9750 - 9800
- 9800 - 9850
- 9850 - 9900
- 9900 - 9950
- 9950 - 10000

**People Affected**

- No flooding
- Less than 50
- 50 - 100
- 100 - 150
- 150 - 200
- 200 - 250
- 250 - 300
- 300 - 350
- 350 - 400
- 400 - 450
- 450 - 500
- 500 - 550
- 550 - 600
- 600 - 650
- 650 - 700
- 700 - 750
- 750 - 800
- 800 - 850
- 850 - 900
- 900 - 950
- 950 - 1000
- 1000 - 1050
- 1050 - 1100
- 1100 - 1150
- 1150 - 1200
- 1200 - 1250
- 1250 - 1300
- 1300 - 1350
- 1350 - 1400
- 1400 - 1450
- 1450 - 1500
- 1500 - 1550
- 1550 - 1600
- 1600 - 1650
- 1650 - 1700
- 1700 - 1750
- 1750 - 1800
- 1800 - 1850
- 1850 - 1900
- 1900 - 1950
- 1950 - 2000
- 2000 - 2050
- 2050 - 2100
- 2100 - 2150
- 2150 - 2200
- 2200 - 2250
- 2250 - 2300
- 2300 - 2350
- 2350 - 2400
- 2400 - 2450
- 24

Swap your list with a neighbouring group and see if they had the same results as you.

Name	Expectation
What ratio was used for affected : displaced people?	

What was used to determine the list of relief items that should be supplied?	
Why do the population dots not overlay with the flood polygons?	

## More about

As you may recall from the flood data flow module, flood reporting is at RW level. **Population Census data is at Kelurahan (village) level** and thus we cannot report population counts of the flooded areas themselves. Thus the population dots (which increase in size based on population size) are intended to provide a general indication of population levels in the surrounding area.

The **relief items** section of the report is calculated using the InaSAFE 'minimum needs' algorithm. In this case BNPB Perka 7/2008 guidelines are used.

The report itself is essentially an InaSAFE 'flood on population' analysis, **based on version 4.3 of InaSAFE**. The sources of data used are listed in the 'Data Sources' section of the report.

The **symbolology** used for the flooded RW boundaries represented on the map is designed to be consistent with PetaBencana symbolology.

The standard displacement rates that InaSAFE uses for flood hazards can be set. See the link below for the logic – we welcome input on what appropriate rates should be.

As well as producing a PDF report, InaSAFE realtime also publishes the hazard and impact layers produced in the analysis as GIS datasets. In another session, we will explore these data in more detail – and look at how you can produce your own reports using these data.

Because there is no standardised identifier for flood events, these reports are not yet pushed to InaWARE. When this issue has been resolved we would like to update the platform to automatically publish these reports to InaWARE.

## Check your knowledge:

1. A standard displacement rate of 1% is used when floods are greater than 150cm deep.:
  - a. True
  - b. False
2. Mark all the correct statements:
  - a. InaSAFE Flood Realtime reports population counts by Kelurahan boundary
  - b. InaSAFE Flood Realtime minimum needs are based on the UN Sphere standard
  - c. InaSAFE Flood Realtime results are also available as GIS datasets

## Further reading:

- PetaBencana displacement rates in InaSAFE 4: [https://github.com/inasafe/inasafe/blob/develop/safe/definitions/hazard\\_classifications.py#L489](https://github.com/inasafe/inasafe/blob/develop/safe/definitions/hazard_classifications.py#L489)

Download the sample data for the lesson from [http://changelog.inasafe.org/media/images/lesson/worksheet/external\\_data/775f790e00bdb630536b23b211e561ed3d23bb36.pdf](http://changelog.inasafe.org/media/images/lesson/worksheet/external_data/775f790e00bdb630536b23b211e561ed3d23bb36.pdf).